

- Aged Garlic Extract™ [200 mg]; Beta-Carotene [1250 I.U.], Natural Vitamin E [15 I.U.]; Ester C [15 mg]; Selenium [17.5 mcg]; Green Tea [75.5 mg]; Milk Thistle extract [25 mg]; L-Glutathione [12.5 mg]; Pine Bark extract [3.75 mg]; Grape Seed extract [3.75 mg] (per capsule).
- Aged Garlic Extract has shown antioxidant effects in studies suggesting it may protect white blood cells,[1] liver cells,[2-3] heart cells and veins,[4-6] and brain cells from oxidative damage.[7]
- The additional antioxidants in this formula may help to maintain a healthy cardiovascular system and protect the body from free radicals and superoxidants.[8-17]
- Selenium and Aged Garlic Extract appear to enhance one another's effectiveness.[18,19] Vitamin A (produced in the body from beta carotene) may further enhance their effectiveness.[19]
- Appropriate antioxidant intervention (beta carotene, C & E, green tea, pine bark, grape seed), by inhibiting or reducing free radical toxicity, may help to alleviate or delay signs of aging.[20-22]
- Meanwhile, detoxifying agents (Milk Thistle, L-Glutathione, Selenium) help the body to rid itself of toxins.

- As part of a healthy diet, the select combination of nutrients in Kyolic Formula 105 helps maintain healthy antioxidant levels, protecting the body from premature aging.*

- **Supplement Facts**
- **Scientific References**
- **Next Kyolic Product**
- **Previous Kyolic Product**
- **All Kyolic Products**
- **Consumer Price List**

Kyolic Formula 105

SUGGESTED USE:
Take two capsules **with a meal** twice daily.

Supplement Facts Serving Size 2 capsules	**Product Codes:** **105-41: 100 capsules** **105-42: 200 capsules**

	Amount per serving	%Daily Value
Vitamin A (100% ß-carotene)	2,500 I.U.	50%
Vitamin C (Ester C)	30mg	50%
Vitamin E (d-a-Tocopheryl succinate)	15 I.U.	50%
Selenium (L-Selenomethionine)	35mcg	50%
Aged Garlic Extract™†† Powder (bulb)	400mg	**
Green Tea Powder (leaf)	75mg	**
Milk Thistle extract (Silymarin 80%)(fruit)	50mg	**
L-Glutathione	25mg	**
Pine Bark extract	7.5mg	**
Grape Seed extract	7.5mg	**
††Special Garlic Preparation	**Daily Value not established	

OTHER INGREDIENTS:
Gelatin, Cellulose, Silica and Magnesium Stearate (vegetable source).

Yeast, Sodium, Gluten, Preservatives, Sugar and Dairy Free.

TOP

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

REFERENCES FOR KYOLIC FORMULA 105

1. Lau, B.H.S. Int. Clin. Nutr. Rev. 9: 27-31, 1989.
2. Horie, T. et al. Planta Med. 55: 506-508, 1989.
3. Horie, T. et al. Planta Med. 58: 468-469, 1992.
4. Steiner, M. et al. J. Cardiovascular Pharmacol. 31: 904-908, 1998.
5. Mundy, J. et al. Atherosclerosis 143: 399-404, 1999.
6. Ide, N. & Lau, B. J. Pharm. Pharmacol. 49: 908-911, 1997.
7. Numagami, Y. et al. Neurochem. Int. 29(20): 135-143, 1996.
8. Niki, E. Am. J. Clin. Nutr. 54: 1119S-24S, 1991.
9. Sies, H. et al. Ann. N.Y. Acad. Sci. 669: 7-20, 1992.
10. Frei, B. Am. J. Clin. Nutr. 54: 1113S-1118S, 1991.
11. Lemoyne, M. et al. Am. J. Clin. Nutr. 46: 267-272, 1987.
12. Luoma, P. et al. J. Intern. Med. 237: 49-54, 1995.
13. Suzukawa, M. et al. J. Am. Coll. Nutr. 14(1): 46-52, 1995.
14. Parfitt, V. et al. European Heart J. 15: 871-876, 1994.
15. Jialil I. et al. Arterioscler. Thromb. Vasc. Biol. 15: 190-198, 1995.

16. Ho, C. et al. Prevent. Med. 21: 520-525, 1992.
17. Kono, S. et al. Prevent. Med. 21: 526-531, 1992.
18. Liu J. and Milner, J. FASEB J. 4: A1175, #5277,1990.
19. Amagase, H. et al. Nutr. 126: 817-824, 1996.
20. Greenstock, C. Med. Hypotheses 41(5): 473-482, 1993.
21. Rice-Evans, C. & A. Diplock. Free Radic. Biol. Med. 15(1): 77-96, 1993.
22. Cross, C. et al. Ann. Intern. Med.107: 526-545, 1987.

