Doctor's BEST® Science-Based Nutrition™

High Absorption Magnesium

High Absorption Magnesium

180 vegetable capsules

Ingredients per two (2) vegetable capsules:
Magnesium (elemental) .....200 mg
(72 mg from Albion Chelazome® Amino Acid Chelate*
Black Pepper Fruit Extract (Bioperine®) .....4 mg

Excipients: Vegetable capsule, magnesium silicate, silicon dioxide

Suggested Adult Use: Take 2 capsules twice daily with or without food.

High Absorption Magnesium

120 tablets and 240 tablets

Ingredients per two (2) tablets:
Magnesium (Chelazome", as magnesium bisglycinate/lysinate) .....200 mg
Black pepper extract (fruit) (Bioperine®) ..... 4 mg

Excipients: Microcrystalline cellulose, croscarmellose sodium, magnesium stearate (vegetable source), stearic acid.

Chelazome" is a registered trademark of Albion Laboratories, Inc.

*Patented amino acid chelates covered by Albion International, Inc. patents 4,599,152 and 4,830,716.

Suggested Adult Use: 2 tablets twice daily with or without food.

Suitable for vegetarians.

Ingredients

High Absorption Magnesium capsules contain highly absorbable elemental magnesium in the form of Albion's Chelazome® Amino Acid Chelate and as Albion's Buffered Amino Acid Chelate. The capsules are suitable for vegetarians.

High Absorption Magnesium tablets also contain highly absorbable elemental magnesium in the form of Albion's Chelazome® chelated with the amino acids glycine and lysine. It is a "di-peptide" chelate, which means that each magnesium atom is chelated with two amino acid molecules. It has a low molecular weight of 324 daltons, which is ideal for optimum absorption.

Bioperine® is a patented herbal extract that enhances nutrient absorption.

Benefits

As an essential dietary mineral, magnesium plays many important roles, including:

- **Acts as a co-factor for metabolic enzymes.***
- **Assists energy production in cells.***
- **Supports nerve and muscle function.***
- **Helps maintain a normal, regular heartbeat.***
- **Supports bone density.***

Magnesium is a dietary mineral with a wide array of biological activities in the body. Magnesium participates in numerous life-essential processes that occur both inside and outside cells. Magnesium deficiency impacts normal physiologic function on many levels. Adequate magnesium is a fundamental requirement for optimum function of the cardiovascular system, the nervous system and skeletal muscle, as well as the uterus and GI tract. Magnesium deficiency can affect health of the heart, bones and blood vessels and alter blood sugar balance. [1]

Magnesium – Important for Everyone, Deficient in Many

The average person living in a modern country today very likely consumes less than the optimum amount of magnesium.[2] An abundance of data collected over the last two decades shows a consistent pattern of low magnesium intake in the U.S. This pattern cuts a wide swath across various age-sex groups. The USDA's Nationwide Food Consumption Survey found that a majority of Americans consumed less than the recommended daily magnesium intake. [3] Twelve age-sex groups were studied and this low magnesium intake was true for all groups except 0 to 5 year olds.

An analysis of the nutrient content of the diets of 7,810 individuals age four and above included magnesium among several nutrients where the amounts supplied by the average diet "were not sufficient to meet recommended standards" .[4] The FDA's Total Diet study examined the intakes of eleven minerals, including magnesium, among eight age-sex groups. Data was collected four times yearly from 1982 to 1984. Levels of magnesium, calcium, iron, zinc and copper were low for most age-sex groups.[5] Surveys conducted in Europe and in other parts of North America paint a similar picture. Loss of magnesium during food processing is one explanation for this global lack of adequate dietary magnesium. [6]

In particular, the elderly may be susceptible to magnesium deficiency for a variety of reasons, including inadequate magnesium intake, poor absorption due to impaired gastrointestinal function and use of drugs such as diuretics that deplete magnesium from the body.[7] It has recently been theorized that magnesium deficiency may contribute to accelerated aging, through effects on the cardiovascular and nervous systems, as well as muscles and the kidneys.[8]

Women who take both synthetic estrogen and calcium supplements may be at risk for low blood levels of magnesium.[9] Estrogen promotes the transfer of magnesium from blood to soft and tissues. Low blood magnesium may result if the ratio of calcium to magnesium intake exceeds 4 to 1. Magnesium supplementation is thus advisable for women taking estrogen and calcium.

Young adults are not immune to magnesium deficiency. The University of California's Bogalusa Heart Study collected nutritional data from a cross-sectional sample of 504 young adults between age 19 and 28.[10] The reported intake of magnesium, along with several other minerals and vitamins, was below the RDA.

Magnesium – The Versatile Mineral

The average adult body contains anywhere from about 21 to 28 grams of magnesium. Approximately 60 percent of the body's magnesium supply is stored in bone. Soft tissue, such as skeletal muscle, contains 38%, leaving only about 1 to 2% of the total body magnesium content in blood plasma and red blood cells. Magnesium in the body may be bound to proteins or "anions" (negatively charged substances.) About 55% of the body's magnesium content is in the "ionic" form, which means it carries an electrical charge. Magnesium ions are "cations," ions that carry a positive charge. In its charged state, magnesium functions as one of the mineral "electrolytes."

Magnesium works as a "co-factor" for over 300 enzymatic reactions in the body. Metabolism uses a phosphate-containing molecule called "ATP" as its energy source. Magnesium is required for all reactions involving ATP.[11] ATP supplies the energy for physical activity, by releasing energy stored in "phosphate bonds."



Continued on reverse side

Skeletal and heart muscle use up large amounts of ATP. The energy for muscle contraction is released when one of ATP's phosphate bonds is broken, in a reaction that produces ADP. Phosphate is added back to ADP, re-forming ATP. ATP also powers the cellular "calcium pump" which allows muscle cells to relax. Because it participates in these ATP-controlled processes, magnesium is vitally important for muscle contraction and relaxation. By controlling the flow of sodium, potassium and calcium in and out of cells, magnesium regulates the function of nerves as well as muscles.[12]

Magnesium's importance for heart health is widely recognized. The heart is the only muscle in the body that generates its own electrical impulses. Through its influence on the heart's electrical conduction system, magnesium is essential for maintenance of a smooth, regular heartbeat.[13] Magnesium appears to help the heart resist the effects of systemic stress. Magnesium deficiency aggravates cardiac damage due to acute systemic stress (such as caused by infection or trauma), while magnesium supplementation protects the heart against stress.[14] This has been found true even in the absence of an actual magnesium deficit in the body.

Evidence suggests that magnesium may help support mineral bone density in elderly women. In a two-year open, controlled trial, 22 out of a group of 31 postmenopausal women who took daily magnesium supplements showed gains in bone density. A control group of 23 women who declined taking the supplements had decreases in bone density.[15] The dietary intakes of magnesium, potassium, fruit and vegetables are associated with increased bone density in elderly women and men.[16] In an interesting animal study, rats were fed diets with either high or low levels of magnesium. Compared to the high magnesium-fed rats, bone strength and magnesium content of bone decreased in the low-magnesium rats, even though these rats showed no visible signs of magnesium deficiency.[17] While this finding may or may not apply to humans, it raises the possibility that diets supplying low magnesium intakes may contribute to weakening of bone in the elderly.

Maximizing Absorption––Chelated Minerals Explained

Mineral absorption occurs mainly in the small intestine. Like any mineral, magnesium may be absorbed as an "ion," a mineral in its elemental state that carries an electric charge. Mineral ions cross the intestinal membrane either through "active transport" by a protein carrier imbedded in the cells lining the membrane inner wall, or by simple diffusion. The magnesium in mineral salts is absorbed in ionic form. However, absorption of ionic minerals can be compromised by an number of factors, including: 1) Low solubility of the starting salt, which inhibits release of the mineral ion, and 2) Binding of the released ion to naturally occurring dietary factors such as phytates, fats and other minerals that form indigestible mineral complexes.[18]

A second absorption mechanism has been discovered for minerals. Experiments have shown that minerals chemically bound to amino acids (building blocks of protein) are absorbed differently than mineral ions. This has given rise to the introduction of "chelated" minerals as dietary supplements. Mineral amino acid chelates consist of a single atom of elemental mineral that is surrounded by two or more amino acid molecules in a stable, ring-like structure.

Unlike mineral salts, which must be digested by stomach acid before the desired mineral portion can be released and absorbed, mineral chelates are not broken down in the stomach or intestines. Instead, chelates cross the intestinal wall intact, carrying the mineral tightly bound and hidden within the amino acid ring. The mineral is then released into the bloodstream for use by the body.

Research by pioneers in the field of mineral chelation and human nutrition indicates that the best-absorbed chelates consist of one mineral atom chelated with two amino acids. This form of chelate is called a "di-peptide." Compared to other chelates, di-peptides have the ideal chemical attributes for optimum absorption.[19] Di-peptide chelates demonstrate superior absorption compared to mineral salts. For example, a magnesium di-peptide chelate was shown to be four times better absorbed than magnesium oxide.[20]

Consumer Alert! Not all "amino acid chelates" are true chelates. In order for a mineral supplement to qualify as a genuine chelate, it must be carefully processed to ensure the mineral is chemically bonded to the amino acids in a stable molecule with the right characteristics. The magnesium bisglycinate/lysinate in High Absorption Magnesium is a genuine di-peptide chelate ("bis" means "two"). It has a molecular weight of 324 daltons, considerably lower than the upper limit of 800 daltons stated in the definition of "mineral amino acid chelates" adopted by the National Nutritional Foods Association in 1996.[21]

Bioperine® For Enhanced Absorption

Bioperine® is a natural extract derived from black pepper that increases nutrient absorption.* Preliminary trials on humans have shown significant increases in the absorption of nutrients consumed along with Bioperine®.[22]

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Scientific References

1. Abbott, L.R., R., Clinical manifestations of magnesium deficiency. Miner electrolyte Metab, 1993. 19: p. 314-22.

2. Durlach, J., Recommended dietary amounts of magnesium: Mg RDA. Magnesium Research, 1989. 2(3): p. 195-202.

3. Morgan, K.e.a., Magnesium and calcium dietary intakes of the U.S. population. Journal of the American College of Nutrition, 1985. 4: p. 195-206.

4. Windham, C., Wyse, B., Hurst, R. Hansen, R., Consistency of nutrient consumption patterns in the United States. J AM Diet Assoc, 1981. 78(6): p. 587-95.

5. Pennington, J., Mineral content of foods and total diets: the Selected Minerals in Food Survey, 1982 to 1984. J AM Diet Assoc, 1986. 86(7): p. 876-91.

6. Marier, J., Magnesium Content of the Food Supply in the Modern-Day World. Magnesium, 1986. 5: p. 1-8.

7. Costello, R., Moser-Veillon, P., A review of magnesium intake in the elderly. A cause for concern? Magnesium Research, 1992. 5(1): p. 61-67.

8. Durlach, J., et al., Magnesium status and aging: An update. Magnesium Research, 1997. 11(1): p. 25-42.

9. Seelig, M., Increased need for magnesium with the use of combined oestrogen and calcium for osteoporosis treatment. Magnesium Research, 1990. 3(3): p. 197-215.

10. Zive, M., et al., Marginal vitamin and mineral intakes of young adults: the Bogalusa Heart Study. J Adolesc, 1996. 19(1): p. 39-47.

11. McLean, R., Magnesium and its therapeutic uses: A review. American Journal of Medicine, 1994. 96: p. 63-76.

12. Graber, T., Role of magnesium in health and disease. Comprehensive Therapy, 1987. 13(1): p. 29-35.

13. Sueta, C., Patterson, J., Adams, K., Antiarrhythmic action of pharmacological administration of magnesium in heart failure: A critical review of new data. Magnesium Research, 1995. 8(4): p. 389-401.

14. Classen, H.-G., Systemic stress, magnesium status and cardiovascular damage. Magnesium, 1986. 5: p. 105-110.

15. Stendig-Lindberg, G., Tepper, R., Leichter, I., Trabecular bone density in a two year controlled trial of peroral magnesium in osteoporosis. Magnesium Research, 1993. 6(2): p. 155-63.

16. Tucker, K., et al., Potassium, magnesium, and fruit and vegetable intakes are associated with greater bone mineral density in elderly men and women. Am J Clin Nutr, 1999. 69(4): p. 727-736.

17. Heroux, O., Peter, D., Tanner, A., Effect of a chronic suboptimal intake of magnesium on magnesium and calcium content of bone and bone strength of the rat. Can J. Physiol. Pharmacol., 1975. 53: p. 304-310.

18. Pineda, O., Ashmead, H.D., Effectiveness of treatment of iron-deficiency anemia in infants and young children with ferrous bis-glycinate chelate. Nutrition, 2001. 17: p. 381-84.

19. Adibi, A., Intestinal transport of dipetides in man:
Relative importance of hydrolysis and intact absorption. J Clin Invest, 1971. 50: p. 2266-75.

20. Ashmead, H.D., Graff, D., Ashmead, H., Intestinal Absorption of Metal Ions and Chelates. 1985, Springfield, Illinois: Charles C. Thomas.

21. NNFA definition of mineral amino acid chlelates, in NNFA Today. 1996. p. 15.

22. Bioperine-Nature's Bioavailability Enhancing Thermonutrient. 1996, Sabinsa Corporation: Piscataway, N.J.

DRB • 1120 Calle Cordillera • Suite 101, San Clemente, CA 92673
phone 800-333-6977 • fax: 949-498-3952
website: www.drbvitamins.com
©2007 Doctor's Best, Inc., Revised 6/07

High Absorption Magnesium capsules contain highly absorbable elemental magnesium in the form of Albion's Chelazome® Amino Acid Chelate and as Albion's Buffered Amino Acid Chelate. As an essential dietary mineral, magnesium plays many important roles which include: helping cells produce metabolic energy, supporting optimum nerve function, helping muscles relax properly and maintaining a healthy heartbeat.*

Bioperine" is a patented extract of black pepper that enhances nutrient absorption.*

***These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.**

Distributed by: **Doctor's Best, Inc.**
1120 Calle Cordillera, Suite 101
San Clemente, CA 92673
(800) 777-2474
www.drbvitamins.com

Doctor's BEST®

Science-Based Nutrition™

Dietary Supplement

High Absorption Magnesium

With BIOPERINE®

SUPPORTS THE HEART AND NERVOUS SYSTEM*
ENHANCES CELLULAR ENERGY*

180 Veggie Caps

Supplement Facts

Serving Size 2 vegetable capsules
Servings per container 90 servings

	Amount per serving	% Daily Value
Magnesium (elemental) (72 mg from Albion Chelazome® Amino Acid Chelate** and 128 mg from Albion Amino Acid Chelate Buffered)	200 mg	50%
Black pepper fruit extract (*Piper nigrum*)(Bioperine®)	4 mg	†

† Daily Value not established.

Other ingredients: Modified cellulose (veggie cap), magnesium silicate, silicon dioxide.

Suggested adult use: Take 2 capsules twice daily with food.

Chelazome® is a registered trademark of Albion Laboratories, Inc.

** Patented amino acid chelate covered by Albion International, Inc. U.S. patents 4,599,152 and 4,830,716.

Suitable for vegetarians

CONTAINS NOTHING OTHER THAN LISTED INGREDIENTS

7 53950 00174 9

High Absorption Magnesium contains elemental magnesium chelated with the amino acids glycine and lysine. As an essential dietary mineral, magnesium plays many important roles which include: helping cells produce metabolic energy, supporting optimum nerve function, helping muscles relax properly and maintaining a healthy heartbeat.* Glycine has been shown to be an efficient carrier for minerals that facilitate absorption in the intestinal tract.* Glycine is used by the body to form collagen, a key protein in cartilage and connective tissue.* Lysine is an essential amino acid that assists gastric function.*

Bioperine® is a patented herbal extract that enhances nutrient absorption.*

***These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.**

Distributed by: **Doctor's Best, Inc.**
1120 Calle Cordillera, Suite 101, San Clemente, CA 92673
(800) 777-2474 www.drbvitamins.com

7 53950 00025 4

Doctor's BEST®

Science-Based Nutrition™

Mineral Supplement with BIOPERINE®

High Absorption Magnesium

ALBION MINERALS

TRAACS™

SUPPORTS THE HEART, NERVOUS SYSTEM, CELLULAR ENERGY*

120 Tablets

Supplement Facts

Serving Size 2 tablets
Servings per container 60 servings

	Amount per serving	% Daily Value
Magnesium (as magnesium glycinate/lysinate chelate**)	200 mg	50%
Black pepper extract (fruit)(Bioperine®)	4 mg	†

† Daily Value not established.

Other ingredients: microcrystalline cellulose, croscarmellose sodium, magnesium stearate (vegetable source), stearic acid.

Suggested Use: As a dietary supplement, take 2 tablets twice daily, with or without food.

** Amino acid chelate supplied by Albion Advanced Nutrition. The Albion medallion design is a registered trademark of Albion Laboratories, Inc. Chelate covered by Albion International, Inc., U.S. patents 4,599,152 and 4,830,716.

Suitable for vegetarians

CONTAINS NOTHING OTHER THAN LISTED INGREDIENTS

High Absorption Magnesium contains elemental magnesium chelated with the amino acids glycine and lysine. As an essential dietary mineral, magnesium plays many important roles which include: helping cells produce metabolic energy, supporting optimum nerve function, helping muscles relax properly and maintaining a healthy heartbeat.* Glycine has been shown to be an efficient carrier for minerals that facilitate absorption in the intestinal tract.* Glycine is used by the body to form collagen, a key protein in cartilage and connective tissue.* Lysine is an essential amino acid that assists gastric function.*

Bioperine® is a patented herbal extract that enhances nutrient absorption.*

***These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.**

Distributed by: **Doctor's Best, Inc.**
1120 Calle Cordillera, Suite 101
San Clemente, CA 92673
(800) 777-2474
www.drbvitamins.com

Doctor's BEST®

Science-Based Nutrition™

Mineral Supplement with BIOPERINE®

High Absorption Magnesium

ALBION MINERALS

SUPPORTS THE HEART, NERVOUS SYSTEM, CELLULAR ENERGY*

TRAACS™

240 Tablets

Supplement Facts

Serving Size 2 tablets
Servings per container 120 servings

	Amount per serving	% Daily Value
Magnesium (as magnesium glycinate/lysinate chelate**)	200 mg	50%
Black pepper extract (fruit)(Bioperine®)	4 mg	†

† Daily Value not established.

Other ingredients: microcrystalline cellulose, croscarmellose sodium, magnesium stearate (vegetable source), stearic acid.

Suggested Use: As a dietary supplement, take 2 tablets twice daily, with or without food.

** Amino acid chelate supplied by Albion Advanced Nutrition. The Albion medallion design is a registered trademark of Albion Laboratories, Inc. Chelate covered by Albion International, Inc., U.S. patents 4,599,152 and 4,830,716.

Suitable for vegetarians

CONTAINS NOTHING OTHER THAN LISTED INGREDIENTS

7 53950 00087 2