
Willner Product Code: 34346
CHILD LIFE MULTI VITAMIN AND MINERAL 8 OZ LIQ
For Current Price, or to order, click here.



Multi Vitamin & Mineral

Natural Orange/Mango Flavor

8 Fluid Ounce (237ml) Liquid Formula

AWARD WINNING SUPPLEMENTS

The full spectrum of essential vitamins and minerals support healthy development, strong immune function as well as emotional and mental vitality.* Research shows that one of the fundamental reasons for the decline in children's health and immunity is the decline in the nutritional content and value of their diet. Supplementing a child's diet is a smart way to ensure that all their nutritional needs are fulfilled. Today's children face unprecedented challenges from two very important areas. On one hand, the nutritional value of the food we eat decreases as the nutritional content of the soil is depleted through time and modern farming methods. On the other hand, the rapid increase in environmental pollution and toxic burden creates an increased need for these nutrients – the vitamins and minerals that protect, nourish and sustain a child's natural, healthy development. Support your child's growth and development with this Multivitamin and Mineral formula.*

ChildLife® uses only the highest quality ingredients.

This formula is gluten free, casein free, alcohol free. Contains no milk, eggs, wheat, yeast, peanuts, tree nuts, fish or shellfish. No artificial colorings, flavorings or sweeteners.

Suggested Use:

For infants 6 mos.-1 yr: 1 teaspoon daily

For children 1-4 yrs: 1-2 teaspoons daily

For children 4-12 yrs: 2-3 teaspoons daily• Shake well before use.

• Keep refrigerated after opening.

• Give directly or mix with your child's favorite drink.

Supplement Facts

Serving Size: 2 Teaspoons (10 ml)
Servings Per Container: 24

Amount Per Serving		% DV* under 4 yrs	% DV* 4 yr+
Calories	20		
Total Carbohydrate	5 g	†	2%
Sugars	5 g	†	†
Vitamin A (as Vitamin A Palmitate and Beta Carotene)	1700 IU	68%	34%
Vitamin C (as Ascorbic Acid)	135 mg	338%	225%
Vitamin D3 (as Cholecalciferol)	275 IU	69%	69%
Vitamin E (as d-alpha tocopheryl acetate)	20 IU	200%	67%
Thiamin (as Thiamin Hydrochloride)	2 mg	286%	133%
Riboflavin (as Riboflavin-5-Phosphate)	2 mg	250%	118%
Niacin (as Niacinamide)	10 mg	111%	50%
Vitamin B6 (as Pyridoxine Hydrochloride)	2 mg	286%	100%
Folic Acid	135 mcg	68%	34%
Vitamin B12 (as Cyanocobalamin)	6 mcg	200%	100%
Biotin (as d-Biotin)	65 mcg	43%	22%
Pantothenic Acid (as d-Panthenol)	7 mg	140%	70%
Calcium (as Calcium Lactate)	55 mg	7%	6%
Iodine (as Potassium Iodide)	50 mcg	71%	33%
Magnesium (as Magnesium Lactate)	15 mg	8%	4%
Zinc (as Zinc Gluconate)	5 mg	63%	33%
Selenium (as L-Selenomethionine)	35 mcg	†	50%
Manganese (as Manganese Gluconate)	1.5 mg	†	75%
Chromium (as Chromium Polynicotinate)	7 mcg	†	6%
Potassium (as Potassium Citrate)	15 mg	†	<1%
Inositol	20 mg	†	†
Choline Bitartrate	20 mg	†	†

* Percent Daily Values are based on a 2,000 calorie diet.
† Daily Value not established

Other Ingredients

Purified Water, Fructose, Natural Flavors, Citric Acid, Xanthan Gum, Potassium Sorbate, and Grapefruit Seed Extract.

---

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

References:

Maggini S, Wintergerst ES, Beveridge S, Hornig DH. “Selected vitamins and trace elements support immune function by strengthening epithelial barriers and cellular and humoral immune responses.” Br J Nutr. 2007 Oct;98 Suppl 1:S29-35.

Wintergerst ES, Maggini S, Hornig DH. “Contribution of selected vitamins and trace elements to immune function.” Ann Nutr Metab. 2007;51(4):301-23.

Calder PC, Kew S. “The immune system: a target for functional foods?” Br J Nutr. 2002 Nov;88 Suppl 2:S165-77.

Hulsewé KW, van Acker BA, von Meyenfeldt MF, Soeters PB. “Nutritional depletion and dietary manipulation: effects on the immune response.” World J Surg. 1999 Jun;23(6):536-44.

Multi-vitamin and pregnancy: Keen CL., Zidenberg-Cherr S. “Should vitamin-mineral supplements be recommended for all women with childbearing potential?” American Journal of Clinical Nutrition. 1994 Feb; 59(2 Suppl): 532S-538S.

Werler, M.; Hayes C; Louik C.; Shapiro S; Mitchell A.. “Multivitamin Supplementation and Risk of Birth Defects.” American Journal of Epidemiology. 150(7):675-682, October 1, 1999.

Dani J., Burrill C., Demmig-Adams B., “The remarkable role of nutrition in learning and behaviour.” Journal of Nutrition & Food Science, 2005, Vol 35. 4: (258-263).

Haskell CF, Scholey AB, Jackson PA, Elliott JM, Defeyter MA, Greer J, Robertson BC, Buchanan T, Tiplady B, Kennedy DO. “Cognitive and mood effects in healthy children during 12 weeks’ supplementation with multi-vitamin/minerals.” The British Journal of Nutrition. 2008 May 29:1-11.

Schoenthaler SJ, Bier ID, Young K, Nichols D, Jansenns S. “The effect of vitamin-mineral supplementation on the intelligence of American schoolchildren: a randomized, double-blind placebo-

controlled trial." J Altern Complement Med. 2000 Feb;6 (1):19-29.

Benton D, Roberts G. "Effect of vitamin and mineral supplementation on intelligence of a sample of schoolchildren." Lancet. 1988 Jan 23;1(8578):140-3.