Healthy Prostate and Ovary

Item # 75140
Available in bottles of 180 tablets

The Possible Benefits of Healthy Prostate and Ovary, a Dietary Supplement

- Enhances and supports the body's immune response mechanisms
- Supports detoxification and production of energy
- Promotes the health of ovary, prostate, breast and other organs and tissues

Description

Healthy Prostate and Ovary is an herbal combination that enhances the body's immune system and promotes the health of ovary, prostate, breast and other organs and tissues. It also nutritionally supports the body's own mechanisms that can respond to challenges involving the throat, tonsils, and reproductive system. It has a strong detoxifying action that can help relieve fatigue and enhance energy the body needs to restore health.

Astragalus membranaceus (Huang qi or Chinese milk vetch) is a sweet tonic herb, native to northern Chinese highlands. Astragalus was classified as a superior herb in the ancient Chinese medicine treatise, Shen Nong Pen Tsao Ching. It is used traditionally as an adaptogenic herb with immune and tonic properties. It is cardiotonic and especially supportive for immune response involving the lungs. Its adaptogenic properties include increasing stamina, endurance and resistance to cold temperatures. Recent research confirms that astragalus supports immune function, potentially improving recovery from oxidative therapies and extending survival. It also may help regulate blood pressure and blood sugar levels. It contains flavonoids, polysaccharides, amino acids, trace minerals and triterpene glycosides such as the astragalosides I-VII.

Alisma plantago-aquatica (water plantain) is found in the Far East and throughout Europe. Traditionally it has been used to help regulate blood flow, support healthy blood lipid levels, and as a diuretic. It enhances kidney and liver yin energy and is particularly helpful in balancing hormones.

Crinum latifolium is a traditional Vietnamese herb used by royalty in ancient times to enhance longevity. Its active ingredients include alkaloids, amino acids, steroid saponins and antioxidants. It plays a role in cellular immunity, in the activation of T-lymphocytes. It also supports detoxification, hormone balance, and regulation of inflammation. It is currently used in Vietnam for a wide variety of health benefits, including support of ovary, uterine and prostate function.

Momordica charantia (bitter melon) is used as both food and medicine in the tropics. It possesses a variety of beneficial properties related to detoxification. Used traditionally to help control blood sugar levels, this kidney and liver yin tonic has antibiotic, antiviral, and immuno-regulatory properties. Active ingredients include steroidal saponins, insulin-like peptides, alkaloids, and immune system proteins alpha-momorcharin and beta-momorcharin.

Carica papaya (papaw) originated in Central America, but now is found throughout the world. Many parts of the plant are used traditionally for food and medicine. Traditional healers in Indonesia use papaya leaves for animals after parturition, and to protect humans from malaria. In Peru, the leaf tea is considered digestive, cardiotonic and hypotensive. The leaves contain alkaloids such as carpaine, flavonols, tannins, and enzymes that can support detoxification.

Annona muricata (graviola or soursop) is found throughout the American tropics. Traditional healers considered graviola leaf extract antispasmodic and hypotensive. It is known to

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

support heart and liver function, the mucous membranes and healthy blood sugar levels. It can have a sedative action, and is considered a nervine. Some of these properties have been verified in extensive modern research going back to the 1940s, and some new properties have emerged. Several hundred bioactive annonaceous acetogenins have been isolated from graviola and other members of its species. Certain of these acetogenins are reported to selectively block transfer of ATP to intercellular P-glycoprotein mediated pumps, which are peculiar to the plasma membranes of some aberrant cells. This indicates a potential role for graviola in helping to overcome multi-drug resistance.

Each 3 tablets contain:	Proprietary blend	1800 mg
	Astragalus membranaceus (root) extract	
	Alisma plantago-aquatica (root) extract	
	Crinum latifolium (leaf) extract	
	Momordica charantia (fruit) extract	
	Carica papaya (leaf) extract	
	Annona muricata (leaf) extract	
Other ingredients:	Rice starch	
Suggested Use:	As a dietary supplement, 3 tablets three times daily, or as directed by a healthcare practitioner.	

References:

Bown D. Encyclopaedia of Herbs and their Uses. Dorling Kindersley, London 1995.
Chevallier A. The Encyclopedia of Medicinal Plants, Dorling Kindersley London 1996.
Duke J A, Ayensu E S. Medicinal Plants of China Reference Publications, Inc 1985.
Grieve. A Modern Herbal. Penguin 1984.
Gupta A, Wambebe CO, Parsons DL. 1990. Central and cardiovascular effects of the alcoholic extract of the leaves of Carica papaya. International Journal of Crude Drug Research, 28 (4): 257-266.
Hasrat JA, De Bruyne T, De Backer JP, Vauquelin G, Vlietinck AJ. Isoquinoline derivatives isolated from the fruit of Annona muricata as 5-HTergic 5-HT1A receptor agonists in rats: unexploited antidepressive (lead) products. J Pharm Pharmacol. 1997 Nov; 49(11): 1145-9.
Khan MR, Kornine K, Omoloso AD. (1998) Antibacterial activity of some Annonaceae. Part 1. Fitoterapia, 69(4): 367-369.
Kim GS, Zeng L, Alali F, Rogers LL, Wu FE, McLaughlin JL, Sastrodihardjo S. Two new mono-tetrahydrofuran ring acetogenins, annomuricin E and muricapentocin, from the leaves of Annona muricata. J-Nat-Prod. 1998 Apr; 61(4): 432-6 0163-386.
Kim GS, Zeng L, Alali F, Rogers LL, Wu FE, Sastrodihardjo S, McLaughlin JL. Muricoreacin and murihexocin C, mono-tetrahydrofuran acetogenins, from the leaves of Annona muricata. Phytochemistry. 1998 Sep; 49(2): 565-71 0031-9422.
Liu XX, Alali FQ, Pilarinou E, McLaughlin JL. Two bioactive mono-tetrahydrofuran acetogenins, annoglacins A and B, from Annona glabra. Phytochemistry. 1999 Mar;50(5):815-21.
Oberlies NH, Jones JL, Corbett TH, Fotopoulos SS, McLaughlin JL. Tumor cell growth inhibition by several Annonaceous acetogenins in an in vitro disk diffusion assay. Cancer Lett 1995 Sep 4;96(1):55-62.
Padma P, Pramod NP, Thyagarajan SP, Khosa RL. Effect of the extract of Annona muricata and Petunia nyctaginiflora on Herpes simplex virus. J Ethnopharmacol. 1998 May; 61(1): 81-3.
Tang CS. 1979. New macrocyclic DELTA 1-piperideine alkaloids from papaya leaves: dehydrocarpaine I and II. Phytochemistry., 18 (4): 651-652.
Tattersfield F, et al. The insecticidal properties of certain species of Annona and an Indian strain of Mundulea sericea (Supli). Ann Appl Biol 1940; 27: 262-73.
Wu FE, Gu ZM, Zeng L, Zhao GX, Zhang Y, McLaughlin JL, Sastrodihardjo S. Two new cytotoxic monotetrahydrofuran Annonaceous acetogenins, annomuricins A and B, from the leaves of Annona muricata. J-Nat-Prod. 1995 Jun; 58(6): 830-6 0163-3864.
Wu FE, Zeng L, Gu ZM, Zhao GX, Zhang Y, Schwedler JT, McLaughlin JL, Sastrodihardjo S. Muricatocins A and B, two new bioactive monotetrahydrofuran Annonaceous acetogenins from the leaves of Annona muricata. J-Nat-Prod. 1995 Jun; 58(6): 902-8 0163-3864.
Wu FE, Zeng L, Gu ZM, Zhao GX, Zhang Y, Schwedler JT, McLaughlin JL, Sastrodihardjo S. New bioactive monotetrahydrofuran Annonaceous acetogenins, annomuricin C and muricatocin C, from the leaves of Annona muricata. J-Nat-Prod. 1995 Jun; 58(6): 909-15 0163-3864.
Wu FE, Zhao GX, Zeng L, Zhang Y, Schwedler JT, McLaughlin JL, Sastrodihardjo S. Additional bioactive acetogenins, annomutacin and (2,4-trans and cis)-10R-annonacin-A-ones, from the leaves of Annona muricata. J-Nat-Prod. 1995 Sep; 58(9): 1430-7 0163-3864.
Yeung Him-Che. Handbook of Chinese Herbs and Formulas. Institute of Chinese Medicine, Los Angeles 1985.
Zeng L, Wu FE, Oberlies NH, McLaughlin JL, Sastrodihadjo S. Five new monotetrahydrofuran ring acetogenins from the leaves of Annona muricata. J-Nat-Prod. 1996 Nov; 59(11): 1035-42 0163-3864.
Zeng L, Ye Q, Oberlies NH, Shi G, Gu ZM, He K, McLaughlin JL. Recent advances in Annonaceous acetogenins. Nat Prod Rep. 1996 Aug;13(4):275-306.

Allergy Research Group®
30806 Santana Street; Hayward, CA 94544
Phone: 800-545-9960 / 510-487-8526
Fax: 800-688-7426 / 510-487-8682
www.AllergyResearchGroup.com

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

January - 2004